



**STANDARD SIZE GATES**

**PRODUCT CODES**

OPENING OPENING	HOOGTE HEIGHT	PYP PIPE	CODE CODE	TIPE TYPE	MASSA MASS
--------------------	------------------	-------------	--------------	--------------	---------------

**VOETGANGERHEKKE GEGALVANISEERD / PEDESTRIAN GATES GALVANISED**

750	1200	27	2020105	R1	5.3
900	1200	27	2020115	R1	5.7
1200	1200	27	2020135	R1	6.5
1500	1200	27	2020145	R1	10
750	1200	27	2020175	R2	6.7
900	1200	27	2020185	R2	6.9
1200	1200	27	2020205	R2	7.8
750	1200	27	2020235	R3	8.5
900	1200	27	2020245	R3	9.6
1200	1200	27	2020265	R3	10.6
750	1200	27	2020275	R4	6.3
900	1200	27	2020184	R4 + PADBOLT	7.1
900	1200	27	2020285	R4	6.7
1200	1200	27	2020179	R4 + PADBOLT	7.8
1200	1200	27	2020305	R4	7.6
900	1500	27	2020268	R4	8.3
900	1500	27	2020309	R4 + PADBOLT	8.6
750	1200	27	2020335	R5	9.3
900	1200	27	2020345	R5	9.8
1200	1200	27	2020365	R5	10.6
750	1800	27	2020385	R6	10
900	1800	27	2020395	R6	11.5
900	1800	27	2020394	R6 + PADBOLT	11.5
1200	1800	27	2020415	R6	13
1200	1800	27	2020389	R6 + PADBOLT	13.2

OPENING OPENING	HOOGTE HEIGHT	PYP PIPE	CODE CODE	TIPE TYPE	MASSA MASS
--------------------	------------------	-------------	--------------	--------------	---------------

**HUISHOUDELIKE HEKKE GEGALVANISEERD / DOMESTIC GATES GALVANISED**

1800	1200	32	2021183	D1	15
2150	1200	32	2021197	D1	18
2450	1200	32	2020195	D1	19
3050	1200	34	2021215	D1	23
3650	1200	34	2021225	D1	27
4300	1200	34	2021235	D1	29
4900	1200	34	2021255	D1	39
2450	1200	32	2021265	D2	24
3050	1200	32	2021285	D2	27.5
3650	1200	32	2021295	D2	32
4300	1200	32	2021305	D2	36
4900	1200	32	2021315	D2	39
6000	1200	34	2021306	D2	42

**MODERN GATES RANGE**

**GARDEN AND PEDESTRIAN GATES**

<b>MODERN PEDESTRIAN GATES</b>	<b>MC1</b>	<b>SPRING CATCH</b>			
<b>OPENING Width mm</b>	<b>HEIGHT mm</b>	<b>Frame and internal bars</b>	<b>Prod Code</b>	<b>Gate type</b>	<b>KG</b>
900	1200	32x32x1.6 sq / 19x1.6 sq	3021591	MC1	14
1200	1200	32x32x1.6 sq / 19x1.6 sq	3021592	MC1	16
1500	1200	32x32x1.6 sq / 19x1.6 sq	3021617	MC1	18
900	1800	32x32x1.6 sq / 19x1.6 sq	3021593	MC1	19
1200	1800	32x32x1.6 sq / 19x1.6 sq	3021594	MC1	24
1500	1800	32x32x1.6 sq / 19x1.6 sq	3021618	MC1	28
<b>MODERN PEDESTRIAN GATES</b>	<b>MB1</b>	<b>BOLT LOCK</b>			
<b>OPENING Width mm</b>	<b>HEIGHT mm</b>	<b>Frame and internal bars</b>	<b>Prod Code</b>	<b>Gate type</b>	<b>KG</b>
900	1800	32x32x1.6 sq / 19x1.6 sq	3021595	MB1	19
1200	1800	32x32x1.6 sq / 19x1.6 sq	3021596	MB1	24
1500	1800	32x32x1.6 sq / 19x1.6 sq	3021619	MB1	28
<b>MODERN PEDESTRIAN GATES</b>	<b>MK1</b>	<b>KEY LOCK</b>			
<b>OPENING Width mm</b>	<b>HEIGHT mm</b>	<b>Frame and internal bars</b>	<b>Prod Code</b>	<b>Gate type</b>	<b>KG</b>
900	1800	32x32x1.6 sq / 19x1.6 sq	3021597	MK1	19
1200	1800	32x32x1.6 sq / 19x1.6 sq	3021598	MK1	24
<b>MODERN GARDEN GATES</b>	<b>MC2</b>	<b>GATE LATCH</b>			
<b>OPENING Width mm</b>	<b>HEIGHT mm</b>	<b>Frame and internal bars</b>	<b>Prod Code</b>	<b>Gate type</b>	<b>KG</b>
1500	1200	32x32x1.6 sq / 19x1.6 sq	3021609	MC2	14
1800	1200	32x32x1.6 sq / 19x1.6 sq	3021610	MC2	16
2100	1200	32x32x1.6 sq / 19x1.6 sq	3021611	MC2	17
2400	1200	32x32x1.6 sq / 19x1.6 sq	3021612	MC2	19
<b>MODERN GARDEN GATES</b>	<b>MB2</b>	<b>BOLT LOCK</b>			
<b>OPENING Width mm</b>	<b>HEIGHT mm</b>	<b>Frame and internal bars</b>	<b>Prod Code</b>	<b>Gate type</b>	<b>KG</b>
1500	1800	32x32x1.6 sq / 19x1.6 sq	3021613	MB2	19
1800	1800	32x32x1.6 sq / 19x1.6 sq	3021614	MB2	24
2100	1800	32x32x1.6 sq / 19x1.6 sq	3021615	MB2	17
2400	1800	32x32x1.6 sq / 19x1.6 sq	3021616	MB2	27

**PLAASHEKKE GEGALVANISEERD / FARM GATES GALVANISED**

OPENING OPENING	HOOGTE HEIGHT	PYP PIPE	KODE CODE	TIPE TYPE	MASSA MASS
750	1200	32	2020445	V	8.5
900	1200	32	2020455	V	10
1200	1200	32	2020475	V	11.5
1500	1200	32	2020473	V	12.2
1800	1200	32	2020495	V	13
2450	1200	32	2020515	V	14.5
3050	1200	34	2020535	V	17.5
3650	1200	34	2020545	V	21.8
4300	1200	34	2020555	V	23.5
4900	1200	34	2020565	V	28
1200	1200	43	2020605	V	14
1800	1200	43	2020625	V	15.7
2450	1200	43	2020645	V	18.5
3050	1200	43	2020665	V	21.8
3650	1200	43	2020675	V	25
4300	1200	43	2020685	V	28.1
4900	1200	43	2020695	V	31.5

**PLAASHEKKE GEGALVANISEERD / FARM GATES GALVANISED**

OPENING OPENING	HOOGTE HEIGHT	PYP PIPE	KODE CODE	TIPE TYPE	MASSA MASS
1800	1200	32	2020835	W	14
2150	1200	32	2020845	W	15.2
2450	1200	32	2020855	W	15.8
2750	1200	32	2020873	W	17.6
3050	1200	34	2020875	W	19.1
3350	1200	34	2020885	W	21.8
3650	1200	34	2020895	W	23.2
3950	1200	34	2020905	W	24.2
4000	1200	34	2020858	W	25.2
4300	1200	34	2020915	W	25.9
4600	1200	34	2020925	W	26.7
4900	1200	34	2020935	W	29.5
1800	1200	43	2020955	W	18.7
2450	1200	43	2020975	W	22.4
3050	1200	43	2020985	W	25.1
3650	1200	43	2020995	W	29
3950	1200	43	2020912	W	34.65
4300	1200	43	2021005	W	33
4600	1200	43	2021015	W	36.3
4900	1200	43	2021025	W	38.3
5500	1200	43	2021035	W	43.3
6000	1200	43	2021030	W	45.8

**SKAAPKRAAL HEKKE GEGALVANISEERD  
SHEEP PADDOCK GATES GALVANISED**

OPENING OPENING	HOOGTE HEIGHT	PYP PIPE	KODE CODE	TIPE TYPE	MASSA MASS
600	900	27	2023281	SK.	6.2
750	900	27	2023282	SK.	6.7
900	900	27	2023283	SK.	6.9
1200	900	27	2023284	SK.	7.8
1500	900	32	2023285	SK.	8.6
1800	900	32	2023286	SK.	9.5
600	1200	27	2023288	SK.	7.2
750	1200	27	2023289	SK.	7.7
900	1200	27	2023290	SK.	7.9
1200	1200	27	2023291	SK.	8.8
1500	1200	32	2023292	SK.	9.6
1800	1200	32	2023293	SK.	10.5

**JAKKALSPROEF HEKKE GEGALVANISEERD  
JACKALPROOF GATES GALVANIZED**

OPENING OPENING	HOOGTE HEIGHT	PYP PIPE	KODE CODE	TIPE TYPE	MASSA MASS
2100	1371	32	2021360	JP	15.2
2450	1371	32	2021378	JP	16.5
3050	1371	34	2021370	JP	19
3350	1371	34	2021379	JP	22
3650	1371	34	2021380	JP	24.5
3950	1371	34	2021387	JP	26
4300	1371	34	2021390	JP	27
4600	1371	34	2021381	JP	28.5
4900	1371	34	2021400	JP	30

**BEESKAMP HEKKE GALV / CATTLE GATES GALV**

OPENING OPENING	HOOGTE HEIGHT	PYP PIPE	KODE CODE	TIPE TYPE	MASSA MASS
900	1200	38	2022316	BKL	11.97
1200	1200	38	2022317	BKL	13.36
1500	1200	38	2022318	BKL	14.07
1800	1200	38	2022319	BKL	16.52
2150	1200	38	2022321	BKL	18.9
2450	1200	38	2022322	BKL	21.28
2750	1200	38	2022323	BKL	23.73
3050	1200	38	2022324	BKL	26.53
3650	1200	38	2022326	BKL	30.87
4300	1200	38	2022327	BKL	36.47
4600	1200	38	2022328	BKL	38.92
4900	1200	38	2022329	BKL	41.3

**BEESKRAAL HEKKE WDG / CATTLE GATES HDGALV**

900	1200	43	2022315	BK	13.3
1200	1200	43	2022320	BK	16.7
1500	1200	43	2022325	BK	20.1
1800	1200	43	2022330	BK	23.6
2150	1200	43	2022335	BK	27
2450	1200	43	2022340	BK	30.4
2750	1200	43	2022345	BK	33.9
3050	1200	43	2022350	BK	37.9
3650	1200	43	2022355	BK	44.1
4300	1200	43	2022360	BK	52.1
4600	1200	43	2022365	BK	55.6
4900	1200	43	2022370	BK	59

**VOLSTRUISHEKKE MET VOLSTRUISHAAK**

OPENING OPENING	HOOGTE HEIGHT	PYP PIPE	KODE CODE	TIPE TYPE	MASSA MASS
<b>LIGTE TIPE VB</b>		<b>GALVANIZED</b>			
900	1200	32	2022650	VB	8.5
1050	1200	32	2022655	VB	10
1200	1200	32	2022660	VB	11.5
1500	1200	32	2022665	VB	12.2
1800	1200	32	2022670	VB	13
2100	1200	32	2022675	VB	13.8
2400	1200	32	2022680	VB	14.5
2700	1200	32	2022685	VB	16
3000	1200	34	2022690	VB	17.5
3300	1200	34	2022695	VB	19.5
3600	1200	34	2022700	VB	21.8
4200	1200	34	2022705	VB	23
4500	1200	34	2022710	VB	25
4800	1200	34	2022715	VB	27.5
<b>SWAAR TIPE VB</b>		<b>GALVANIZED</b>			
900	1200	43	2022740	VBS	9.5
1050	1200	43	2022745	VBS	12
1200	1200	43	2022750	VBS	13
1500	1200	43	2022755	VBS	14
1800	1200	43	2022760	VBS	15.7
2100	1200	43	2022765	VBS	17
2400	1200	43	2022770	VBS	18.5
2700	1200	43	2022775	VBS	20
3000	1200	43	2022780	VBS	21.8
3300	1200	43	2022785	VBS	23.8
3600	1200	43	2022790	VBS	25
4200	1200	43	2022795	VBS	27.8
4500	1200	43	2022800	VBS	29.5
4800	1200	43	2022805	VBS	31

**VEILIGHEIDSHKKE WDG (MET 50 x 2.5mm GALV. DMD)  
SECURITY GATES HDG ( WITH 50 x 2.5mm GALV. DM)**

OPENING OPENING	HOOGTE HEIGHT	PYP PIPE	KODE CODE	TIPE TYPE	MASSA MASS
900	1800	32	2021422	VG1	12.3
1000	1800	32	2021425	VG1	13.2
3000	1800	34	2021457	VG2	39
1000	1800	38	2021430	VG1	15.1
3000	1800	43	2021426	VG1	42
3000	1800	38	2021440	VG2	46.6
3500	1800	38	2021450	VG2	51.5
4000	1800	38	2021460	VG2	57.5
5000	1800	43	2021470	VG2	64.8
6000	1800	43	2021480	VG2	82
7000	1800	43	2021471	VG2	100
8000	1800	43	2021485	VG2	120
1000	2400	38	2021454	VG1	19.5
3000	2400	38	2021630	VG2	55.5
3500	2400	38	2021631	VG2	68
4000	2400	38	2021632	VG2	76
5000	2400	43	2021633	VG2	86.5
6000	2400	43	2021634	VG2	109
8000	2400	43	2021635	VG2	160
<b>PLUS 450 X 45 OORHANG OF 450 OF 450 REGOP MET DORINGDRAAD</b>					
<b>PLUS 450 X 45 OVERHANG OR 450 STRAIGHT WITH BARBED WIRE</b>					
900	1800 + 450	32	2021494	VG01	13.5
1000	1800 + 450	32	2021493	VG01	14.5
3000	1800 + 450	34	2021503	VG02	43
1000	1800 + 450	38	2021490	VG01	16.5
3000	1800 + 450	43	2021492	VG01	45.6
3000	1800 + 450	38	2021500	VG02	51.2
3500	1800 + 450	38	2021510	VG02	56.5
4000	1800 + 450	38	2021520	VG02	63
5000	1800 + 450	43	2021530	VG02	71.3
6000	1800 + 450	43	2021535	VG02	91.2
8000	1800 + 450	43	2021534	VG02	132
10000	1800 + 450	43	2021523	VG02	165
12000	1800 + 450	43	3021660	VG02	198
1000	2400 + 450	38	2021636	VG01	21.5
3000	2400 + 450	38	2021637	VG02	61
3500	2400 + 450	38	2021638	VG02	75
4000	2400 + 450	38	2021639	VG02	83.5
5000	2400 + 450	43	2021640	VG02	95
6000	2400 + 450	43	2021641	VG02	120
8000	2400 + 450	43	2021642	VG02	176

**STANDAARD BF SKUIFHEK WDG (STANDAARD TOEBEHORE INGESTLUIT)**

OPENING	HOOGTE	KODE
3000	1800mm	2023355
3500	1800mm	2023359
4000	1800mm	2023367
4500	1800mm	2023372
5000	1800mm	2023380
5500	1800mm	2023406
6000	1800mm	2023411
6500	1800mm	4020725
7000	1800mm	4021205
8000	1800mm	4021466
10000	1800mm	4021497

**SQUARE GATES AND PANELS**

**BARFENCE GATES**

**BF1 SWAAR**

**SWAAR / INDUSTRIAL**

OPENING	HEIGHT	FRAME and vertical	Prod Code	Gate type	KG
900	1800	25x25x2 sq / 21x2 rnd	5024500	BFS1	18
900	1800	32x32x2 sq / 21x2 rnd	5024501	BFS1	21
1200	1800	32x32x2 sq / 25x2 rnd	5024502	BFS1	28
1500	1800	32x32x2 sq / 25x2 rnd	5024503	BFS1	30
2000	1800	32x32x2 sq / 25x2 rnd	5024504	BFS1	55
<b>BARFENCE GATES</b>					
<b>BF2 SWAAR</b>		<b>SWAAR / INDUSTRIAL</b>			
OPENING Width mm	HEIGHT mm	FRAME and vertical	Prod Code	Gate type	KG
2500	1800	38x38x2 sq / 25x2 rnd	5024505	BFS2	72
3000	1800	38x38x2 sq / 25x2 rnd	5024506	BFS2	82
3500	1800	38x38x2 sq / 25x2 rnd	5024507	BFS2	91
4000	1800	38x38x2 sq / 25x2 rnd	5024508	BFS2	104
5000	1800	38x38x2 sq / 25x2 rnd	5024509	BFS2	125
6000	1800	38x38x2 sq / 25x2 rnd	5024510	BFS2	147
5000	1800	50x50x2 / 76 base/ 32x2 rnd	5024511	BFS2	153
6000	1800	50x50x2 / 76 base/ 32x2 rnd	5024524	BFS2	178
<b>BARFENCE GATES</b>					
<b>BF1 &amp; BFP</b>		<b>LIGHT / RESIDENTIAL</b>			
OPENING Width mm	HEIGHT mm	FRAME and vertical	Prod Code	Gate type	KG
900	1800	25x25x1.6 sq / 21x1.6 rnd	5024513	BFL1	16
900	1800	32x32x1.6 sq / 21x1.6 rnd	5024514	BFL1	19
1200	1800	32x32x1.6 sq / 21x1.6 rnd	5024515	BFL1	20
1500	1800	32x32x1.6 sq / 21x1.6 rnd	5024516	BFL1	27
2000	1800	38x38x1.6 sq / 21x1.6 rnd	5024517	BFL1	40
<b>BARFENCE GATES</b>					
<b>BF2 &amp; BFP</b>		<b>LIGHT / RESIDENTIAL</b>			
OPENING Width mm	HEIGHT mm	FRAME and vertical	Prod Code	Gate type	KG
2500	1800	32x32x1.6 sq / 21x1.6 rnd	5024518	BFL2	50
3000	1800	32x32x1.6 sq / 21x1.6 rnd	5024519	BFL2	70
3500	1800	38x38x1.6 sq / 21x1.6 rnd	5024520	BFL2	78
4000	1800	38x38x1.6 sq / 21x1.6 rnd	5024521	BFL2	85
5000	1800	38x38x1.6 sq / 21x1.6 rnd	5024522	BFL2	103
6000	1800	38x38x1.6 sq / 21x1.6 rnd	5024523	BFL2	120

<b>WALL FENCE PANELS FRAMED</b>		<b>WPF LIGHT / RESIDENTIAL</b>			
OPENING Width mm	HEIGHT mm	FRAME and vertical	Prod Code	Gate type	KG
1000	1800	32x32x1.6 sq / 19x1.6 sq	5025500	WPF	27
1500	1800	32x32x1.6 sq / 19x1.6 sq	5025501	WPF	37
2000	1800	32x32x1.6 sq / 19x1.6 sq	5025502	WPF	47
2500	1800	32x32x1.6 sq / 19x1.6 sq	5025503	WPF	56
<b>WALL FENCE PANELS FRAMED</b>					
<b>WPF HEAVY / INDUSTRIAL</b>					
OPENING	HEIGHT	FRAME and vertical	Prod Code	Gate type	KG
1000	1800	38x38x2 sq / 25x2 sq	5025504	WPF	35
1500	1800	38x38x2 sq / 25x2 sq	5025505	WPF	52
2000	1800	38x38x2 sq / 25x2 sq	5025506	WPF	66
2500	1800	38x38x2 sq / 25x2 sq	5025507	WPF	80
<b>WALL FENCE PANELS OPEN</b>					
<b>WPO LIGHT / RESIDENTIAL</b>					
OPENING Width mm	HEIGHT mm	FRAME and vertical	Prod Code	Gate type	KG
1000	1800	32x32x1.6 sq / 19x1.6 sq	5025508	WPO	17
1500	1800	32x32x1.6 sq / 19x1.6 sq	5025509	WPO	28
2000	1800	32x32x1.6 sq / 19x1.6 sq	5025510	WPO	40
2500	1800	32x32x1.6 sq / 19x1.6 sq	5025511	WPO	45
<b>WALL FENCE PANELS OPEN</b>					
<b>WPO &amp; WPS HEAVY / INDUSTRIAL</b>					
OPENING	HEIGHT	FRAME and vertical	Prod Code	Gate type	KG
1000	1800	38x38x2 sq / 25x2 sq OR 40x2 ang	5025512	WPO & WPS	24
1500	1800	38x38x2 sq / 25x2 sq OR 40x2 ang	5025513	WPO & WPS	40
2000	1800	38x38x2 sq / 25x2 sq OR 40x2 ang	5025514	WPO & WPS	55
2500	1800	38x38x2 sq / 25x2 sq OR 40x2 ang	5025515	WPO & WPS	68